

Product name: Capstar Tablets for large dogs
Date: 25 November 2013

APVMA No.: 49579
ACVM No.: A007452

Reason: Amend information under Integrated Flea Control, include First Aid Statement and in large dogs delete cats in trade name

Page 1 of 4

Text above this line not included

FOIL

FOR ANIMAL TREATMENT ONLY

CAPSTAR TABLETS

Each tablet contains: Nitenpyram 57 mg



RLP
Approved



Product name: Capstar Tablets for large dogs
Date: 25 November 2013

APVMA No.: 49579
ACVM No.: A007452
Reason: Amend information under Integrated Flea Control, include
First Aid Statement and in large dogs delete cats in trade name

Page 2 of 4

Text above this line not included

CARTON

FOR ANIMAL TREATMENT ONLY

CAPSTAR Tablets for large dogs

Active Constituent: each tablet contains 57 mg Nitenpyram

The oral treatment for fast acting knockdown of adult fleas on dogs weighing between 11.1 - 57 kg.

Contents: 2 Tablets (6 Tablets)

READ THE ENCLOSED LEAFLET BEFORE USING THIS PRODUCT.

Directions for use

Administer one tablet on any day when fleas are evident on your pet. For dogs over 57 kg, dose with an appropriate combination of tablets according to their weight. Repeat on any subsequent day when fleas are again evident on your pet.

CAPSTAR tablets can be dosed directly into the mouth, or can be given mixed in a small portion of your pet's favourite food.

First Aid

If poisoning occurs contact a doctor or Poisons Information Centre. *Phone Australia 131126; New Zealand 0800 764 766.*

Disposal

Dispose of empty containers by wrapping with paper and putting in garbage.

Storage instructions

Store below 25°C (Air Conditioning), in a cool, dry place, away from direct sunlight.

Store unused tablets in the carton.

See end panel for batch and expiry information.

Australia

Novartis Animal Health Australasia Pty Limited
ACN 076 745 198
54 Waterloo Road
North Ryde NSW 2113

APVMA Approval No. 49579/61188

® Registered trademark of Novartis AG, Basel, Switzerland

Batch No.:
Expiry Date:

Product name: Capstar Tablets for large dogs
Date: 25 November 2013

APVMA No.: 49579
ACVM No.: A007452

Reason: Amend information under Integrated Flea Control, include First Aid Statement and in large dogs delete cats in trade name

Page 3 of 4

Text above this line not included

LEAFLET

FOR ANIMAL TREATMENT ONLY

CAPSTAR Tablets for Cats and Small Dogs
CAPSTAR Tablets for Large Dogs

Composition

Capstar Tablets for Cats and small dogs, each tablet contains 11.4 mg Nitenpyram.
Capstar Tablets for Large Dogs, each tablet contains 57 mg Nitenpyram.

Indication

The oral treatment for fast acting knockdown of adult fleas on cats and dogs.

Directions for Use

CAPSTAR Tablets can be administered to kittens and puppies from four weeks of age. Administer one tablet on any day when fleas are evident on your pet. Repeat on any subsequent day when fleas are again evident on your pet. Flea detection can be achieved by examining the skin for signs of flea activity by parting the pet's coat. CAPSTAR Tablets can be dosed directly into the mouth, or can be given mixed in a small portion of your pet's favourite food. Cats generally prefer a fish-based food like tuna or anchovies.

Dose instructions:

Size of dog or cat treated	Dose (tablets)
0.5 to 11kg	1 small (11.4 mg NITENPYRAM) tablet on any day when fleas are evident on your pet.
11.1-57kg	1 large (57 mg NITENPYRAM) tablet on any day when fleas are evident on your pet.
Over 57.1kg	1 large (57 mg NITENPYRAM) tablet plus 1 small (11.4 mg NITENPYRAM) tablet for every 11 kg over 57 kg, to be administered on any day when fleas are evident on your pet.

There are no known contra-indications to the use of this product

Integrated Flea Control

CAPSTAR Tablets are an easy-to-use oral treatment for fast acting knockdown of adult fleas on cats and dogs.

CAPSTAR Tablets start working within 30 minutes of dosing.

Effective long-term flea control demands an integrated approach. This means breaking the flea breeding cycle by using products, such as PROGRAM® Tablets (Aust/NZ) or SENTINEL SPECTRUM® (Australia only) or PROGRAM Oral Suspension (Australia only), or PROGRAM 40 and 80 Injectable for cats (Australia only), alongside CAPSTAR Tablets. Products containing an insect development inhibitor, such as lufenuron, will prevent the development of immature stages of the flea's life cycle.

Product name: Capstar Tablets for large dogs
Date: 25 November 2013

APVMA No.: 49579

ACVM No.: A007452

Reason: Amend information under Integrated Flea Control, include First Aid Statement and in large dogs delete cats in trade name

Page 4 of 4

Text above this line not included

Regular washing of animal bedding and vacuuming carpets will also help control fleas in the pet's environment.

CAPSTAR Tablets should be used when fleas are found on your pet.

First Aid

If poisoning occurs contact a doctor or Poisons Information Centre. *Phone Australia 131126; New Zealand 0800 764 766.*

Disposal

Dispose of empty containers by wrapping with paper and putting in garbage.

Storage

Store below 25°C (Air Conditioning), in a cool, dry place, away from direct sunlight. Store unused tablets in the carton.

Packaging

2 tablets blister.

6 tablets blister

Australia

Novartis Animal Health Australasia Pty Limited

ACN 076 745 198

54 Waterloo Road

North Ryde NSW 2113

APVMA Approval Nos. 49578/61190, 49579/61188

NOVARTIS CUSTOMER ASSISTANCE

1800 633 768 TOLL FREE from anywhere in Australia

8.30 a.m. to 5.00 p.m. E.S.T. Monday to Friday

CONDITIONS OF SALE

The manufacturer of this animal remedy extends/grants to the purchaser a warranty that this animal remedy is reasonably fit for the purposes for which its use is recommended, provided that the purchaser uses the remedy only for the purposes for which it is recommended him and strictly in accordance with the directions on this container.

® Registered trademark of Novartis AG, Basel, Switzerland

NOVARTIS LOGO