

TRIZCHLOR FLUSH- chlorhexidine gluconate solution
Dechra Veterinary Products

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

TrizChlor™ Flush

For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate USP

Also Contains: Deionized Water, TrizEDTA (Tromethamine USP, Disodium EDTA Dihydrate)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution. Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets. Wash hands after use.

Store at controlled room temperature of 20-25° C (68-77° F).

Available through licensed veterinarians only.

Made in the USA.

TPW REV08/16

Manufactured for:
Dechra Veterinary Products
7015 College Blvd.,
Overland Park, KS 66211
www.dechra-us.com
(866) 933-2472

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Label

TRIZCHLOR Flush

SHAKE WELL BEFORE USING

NDC 17033-249-04

TRIZCHLOR™

Flush

Formulated for dogs and cats

Antimicrobial

U.S. Patent 6,538,155

4 fl. oz.
(118 mL)

Dechra

SHAKE WELL BEFORE USING

SHAKE WELL BEFORE USING

SHAKE WELL BEFORE USING

For support of healthy skin for animals with conditions responsive to chlorhexidine.

Active Ingredients: 0.15% Chlorhexidine Gluconate USP

Also Contains: Deionized Water, TrizEDTA (Tromethamine USP, Disodium EDTA Dihydrate)

Directions for Use: SHAKE WELL BEFORE EACH USE. For use as an ear flush: apply to the ear canal and gently, but firmly, massage the base of the ear. For use on skin: squeeze flush over affected area. Use a cotton ball to remove excess solution. Repeat as necessary or as directed by your veterinarian. Close cap tightly.

Caution: For topical use only. Avoid contact with eyes. If skin irritation develops or increases, stop use and call your veterinarian. Keep out of the reach of children and pets. Wash hands after use.

Store at controlled room temperature of 20-25° C (68-77° F).

Available through licensed veterinarians only.

Made in the USA.

TPW REV08/16



Manufactured for:
Dechra Veterinary Products
7015 College Blvd.,
Overland Park, KS 66211
www.dechra-us.com
(866) 933-2472

TRIZCHLOR Flush

NDC 17033-249-04



TRIZCHLOR™

Flush

Formulated for dogs and cats

Antimicrobial

U.S. Patent 6,538,155

4 fl. oz.
(118 mL)



TRIZCHLOR FLUSH

chlorhexidine gluconate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17033-249
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
Tromethamine (UNII: 023C2WHX2V)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17033-249-04	118 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		06/01/2016	

Labeler - Dechra Veterinary Products (362142734)

Revised: 5/2017

Dechra Veterinary Products